

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| L1 | 26098 | (709/223,231;717/136,109,102;715/513,523,764;707/2,3,104.1,102).cccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/22 15:26 |
| L2 | 23 | 1 and ((xml near4 metadata) same ("user interface" screen application browser) near9 (extension extend\$4 specif\$5 integrat\$4 enhanc\$4))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/22 15:27 |
| S1 | 219 | ((development framework) same ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 07:48 |
| S2 | 63 | S1 and metadata | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:06 |
| S3 | 58 | S2 and (browser HTML (application near2 "user interface")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:07 |
| S4 | 53 | S3 and (database RDBM DBM Oracle) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:08 |
| S5 | 42 | ((Webview Labview BEA "integrated development") and ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model) and (wireless PDA) and (client same deliver\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:11 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S6 | 57 | ((UML Labview BEA "integrated development") and ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model) and (wireless PDA) and (client same deliver\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:11 |
| S7 | 63 | ((graphical near9 environment) UML IDE Labview BEA "integrated development" (Forte same Java)) and ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model) and (wireless PDA) and (client same deliver\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:12 |
| S8 | 63 | S7 or S6 and Oracle.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:12 |
| S9 | 0 | (S7 or S6) and Oracle.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:23 |
| S10 | 0 | (S7 or S6) and PeopleSoft.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:23 |
| S11 | 35 | (S7 or S6) and (browser HTML) and metadata and (user near9 customi\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:14 |
| S12 | 26 | S4 and S5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:14 |
| S13 | 26 | S11 and S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:15 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S14 | 9 | S13 not Mamou.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 15:16 |
| S16 | 30 | ("5,371,847" "5,385,088" "5,525,978" "5,625,763" "5,625,783" "5,721,850"" 5,832,481" "5,845,303" "5,916,310" "5,973,688" "6,0051568"" 6,014,638" "6,026,433" "6,067,552" "3,167,409"" 6,181,344" "6,249,284" "6,317,143" "6,549,199" "6,631,496" "6,934,697" 2001/0052910 2002/0057298 "20022097264" 2002/0199190 2004/0034833 2005/0114229 10/035,413 10/040,396 10/040,397 10/041015 10/165,623).pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 08:03 |
| S17 | 30 | ("5,371,847" "5,385,088" "5,525,978" "5,625,763" "5,625,783" "5,721,850"" 5,832,481" "5,845,303" "5,916,310" "5,973,688" "6,005,568"" 6,014,638" "6,026,433" "6,067,552" "3,167,409"" 6,181,344" "6,249,284" "6,317,143" "6,549,199" "6,631,496" "6,934,697" 2001/0052910 2002/0057298 "2002/2097264" 2002/0199190 2004/0034833 2005/0114229 10/035,413 10/040,396 10/040,397 10/041015 10/165,623).pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 07:58 |
| S18 | 10 | ("20010052910" "20020057298" "20022097264" "20020199190" "20040034833" "20050114229").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 08:07 |
| S19 | 1 | (S16 or S18) and model and (HTML markup xml tag) and ("integrated development" IDE framework) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 08:08 |
| S20 | 716 | (IDE PeopleSoft framework UML) and (((markup and tagged) XML) same (metadata specification)) and (((developer user) near4 (customi\$6 interact\$5)) same (interface model)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:22 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S21 | 784 | (IDE PeopleSoft framework UML) and (((markup and tagged) hypertext XML) same (metadata specification)) and (((developer user) near4 (customi\$6 interact\$5)) same (interface model)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:22 |
| S22 | 0 | S21 and PeopleSoft.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:23 |
| S23 | 11 | S21 and Oracle.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:25 |
| S25 | 245 | S21 not S23 and ((database DBM RDBM) with query) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:27 |
| S26 | 12 | metadata same (("application interface" browser) near6 (extend\$4 extension)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:28 |
| S27 | 52 | metadata same (("application interface" browser) near6 (associated extend\$4 extension)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:28 |
| S28 | 219 | ((development framework) same ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:29 |
| S29 | 0 | S28 and S27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:29 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S30 | 21 | S28 and S25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:30 |
| S31 | 131 | "717"/\$ and metadata and query and (user near9 (interact\$5 customi\$6) same (model interface (form and field))) and (page html browser) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:34 |
| S32 | 53 | (S20 or S21 or S25 or S27 or S28) and S31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 10:10 |
| S33 | 2 | "6621505".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 09:44 |
| S34 | 15 | ("6621505").URPN. | USPAT | OR | OFF | 2006/06/21 09:44 |
| S36 | 1 | IDE and (Javascript 'Visual Basic') and Accenture.as. and (metadata with (repository database datastore)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 10:12 |
| S37 | 26 | ("5287266" "5295064" "5475753" "5495610" "5602997" "5630068" "5682525" "5729697" "5732399" "5740549" "5751246" "5821513" "5859969" "5877759" "5892905" "5920700" "5979757" "6006171" "6023766" "6112304" "6198722" "6289382" "6321263" "6366912" "6457066" "6782408").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/21 10:28 |
| S38 | 2 | Bowman.in. and metadata.ab. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/21 10:29 |
| S39 | 2 | Bowman.in. and "meta-data".ab. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/21 10:33 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S40 | 3 | Bowman.in. and (XML same message) | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/21 10:33 |
| S41 | 12 | Accenture.as. and (XML same message) | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/21 11:39 |
| S42 | 6 | ((retriev\$4 generat\$5) near9 (XML near4 (specification metadata))) same ((customiz\$6 modif\$4 reconfigur\$4 chang\$5) near9 (model interface activity)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/21 11:43 |
| S43 | 0 | ("6993745").URPN. | USPAT | OR | OFF | 2006/06/21 11:44 |
| S44 | 22 | ("20010044811" "20020156772" "20030005410" "5640550" "5857194" "5960200" "6125391" "6182024" "6209124" "6230117" "6347307" "6418446" "6418448" "6446110" "6502236" "6519617" "6523042" "6550054" "6604100" "6609108" "6618852" "6687873").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/21 11:44 |
| S45 | 20 | (US-20060059253-\$ or US-20040034833-\$ or US-20020184610-\$ or US-20040205731-\$).did. or (US-6519571-\$ or US-6999956-\$ or US-6621505-\$ or US-6748569-\$ or US-6327628-\$ or US-7003560-\$ or US-5892905-\$ or US-6643652-\$ or US-6477580-\$ or US-6684222-\$ or US-6523042-\$ or US-6636242-\$ or US-6601233-\$ or US-6993745-\$ or US-6604100-\$ or US-6550054-\$). did. | US-PGPUB; USPAT | OR | OFF | 2006/06/21 11:51 |
| S46 | 9 | S45 and query and (((user adj interface) activity view) same customi\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 11:53 |
| S47 | 2 | "7020697".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 11:53 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S48 | 20 | (US-20040034833-\$ or US-20020184610-\$ or US-20040205731-\$).did. or (US-6519571-\$ or US-6999956-\$ or US-6621505-\$ or US-6748569-\$ or US-6327628-\$ or US-7003560-\$ or US-5892905-\$ or US-6643652-\$ or US-6477580-\$ or US-6684222-\$ or US-6523042-\$ or US-6636242-\$ or US-6601233-\$ or US-6993745-\$ or US-6604100-\$ or US-6550054-\$ or US-7020697-\$).did. | US-PGPUB; USPAT | OR | OFF | 2006/06/21 12:18 |
| S49 | 8 | S48 and (user near2 profil\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/21 12:19 |
| S50 | 20 | (US-20040034833-\$ or US-20020184610-\$ or US-20040205731-\$).did. or (US-7020697-\$ or US-6519571-\$ or US-7003560-\$ or US-6999956-\$ or US-6748569-\$ or US-6643652-\$ or US-6636242-\$ or US-6621505-\$ or US-6601233-\$ or US-6327628-\$ or US-5892905-\$ or US-6477580-\$ or US-6684222-\$ or US-6523042-\$ or US-6604100-\$ or US-6550054-\$ or US-6993745-\$).did. | US-PGPUB; USPAT | OR | OFF | 2006/06/22 09:33 |
| S51 | 9 | S50 and model\$5 and activity and screen\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/22 13:11 |
| S52 | 25 | (xml near4 metadata) same (("user interface" screen application browser) near9 (extension extend\$4 integrat\$4 enhanc\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/22 15:26 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S53 | 20 | (US-20040034833-\$ or US-20020184610-\$ or US-20040205731-\$).did. or (US-6519571-\$ or US-6999956-\$ or US-6621505-\$ or US-6748569-\$ or US-6327628-\$ or US-7003560-\$ or US-5892905-\$ or US-6643652-\$ or US-6477580-\$ or US-6684222-\$ or US-6523042-\$ or US-6636242-\$ or US-6601233-\$ or US-6993745-\$ or US-6604100-\$ or US-6550054-\$ or US-7020697-\$).did. | US-PGPUB; USPAT | OR | OFF | 2006/06/22 13:13 |
| S54 | 1 | S52 and S53 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/22 13:13 |